

סקר העשור - ACSIS 2010



החוג לקרדיולוגיה התערבותית
THE ISRAELI WORKING GROUP FOR
INTERVENTIONAL CARDIOLOGY



ISRAEL HEART SOCIETY
THE WORKING GROUP ON INTENSIVE CARDIAC CARE




Clinical Characteristics (Cardiology)

YEAR # of pts.	2000 (n=1795)	2002 (n=2049)	2004 (n=2094)	2006 (n=2077)	2008 (n=1763)	2010 (n=1781)	P for Trend
Age (yr)	64±13	64±13	64±13	63±13	63±13	64±13	0.09
Male	75%	76%	74%	77%	79%	77%	0.02
Hypertension	48%	51%	57%	60%	59%	66%	0.0001
Diabetes	32%	32%	32%	33%	37%	38%	0.0001
Prior CVS Hx	41%	42%	42%	44%	46%	45%	0.004




ACSIS 2000-2010

Number of Patients with ACS Hospitalized in Cardiology Departments per Year




ACSIS 2000-2010

Patients Undergoing Coronary Angiography and PCI



ACSIS 2000-2010: STE

Primary Reperfusion (PPCI or TLx)




**P for trend <0.001*

ACSIS 2010

Timing of PCI (STEMI)


→ Symptoms to balloon= 277 ± 340 min (median 195 min) →



→ Door to balloon= 91 ± 84 min
(median 68min)

ACSYS 2000-2010

Treatment at Discharge



ACSIS 2000-2010

Temporal Mortality Trends

