

\*6800

משרד הבריאות השיק:

מוקד לאומי  
לגמילה מעישון<sup>1</sup>

המוקד פועל  
בימי א'-ה'  
8:00-20:00

המומחים במוקד מותנים מענה מידי לכל אזרחי ישראל במגוון שפות.

תוכנית היעוץ כוללת  
6 שיחות טלפוניות חד שבועיות.<sup>2</sup>

בשיחת היעוץ יקבל המטופל אישור בכתב (במייל)  
על השתתפותו בסדנה הטלפונית.

האישור מקנה זכאות לטיפול מסובסד  
(במסגרת סל הבריאות)<sup>2</sup> בהתאם למדיניות הקופה.

1. רוני לינדנר, משרד הבריאות פתח מוקד טלפוני חינם לגמילה מעישון. The Marker, 30/12/19.
2. דר' אודי קלינר, זכאות לסבסוד טיפול תרופתי לגמילה מעישון למבוססים המטופלים במוקד הטלפוני הלאומי לגמילה מעישון של משרד הבריאות, 22/12/19.
3. YARPA, מחירי תרופות מרשם, 1/1/2020.
4. Champix (Varenicline) latest approved prescribing information.
5. חוזר המנהל הכללי, סל הבריאות 2019.
6. אתר מכבי - זכאות לגמילה מעישון  
[https://www.maccabi4u.co.il/4772-he/Maccabi.aspx#showData\\_128702](https://www.maccabi4u.co.il/4772-he/Maccabi.aspx#showData_128702)
7. חוזר המנהל הכללי, סל הבריאות 2010.
8. דוח שר הבריאות על העישון בישראל 2015, פורסם ב-31/5/16.

Indication and usage: CHAMPIX is indicated as an aid to smoking cessation treatment for adults over 18 years of age. Contraindication: CHAMPIX is contraindicated in patients with a known history of serious hypersensitivity reactions or skin reactions to CHAMPIX Warnings & Precautions: Serious neuropsychiatric adverse events have been reported in patients being treated with CHAMPIX. These postmarketing reports have included changes in mood (including depression and mania), psychosis, hallucinations, paranoia, delusions, homicidal ideation, aggression, hostility, agitation, anxiety, and panic, as well as suicidal ideation, suicide attempt, and completed suicide. Neuropsychiatric adverse events occurred in patients without and with pre-existing psychiatric disease. During clinical trials and the post marketing experience, there have been reports of seizures in patients treated with CHAMPIX. There have been post-marketing reports of patients experiencing increased intoxicating effects of alcohol while taking CHAMPIX. Advise patients to reduce the amount of alcohol they consume while taking CHAMPIX until they know whether CHAMPIX affects their tolerance for alcohol. There have been post marketing reports of traffic accidents, near-miss incidents in traffic, or other accidental injuries in patients taking CHAMPIX. Advise patients to use caution driving or operating machinery or engaging in other potentially hazardous activities until they know how CHAMPIX may affect them. A comprehensive evaluation of cardiovascular (CV) risk with CHAMPIX suggests that patients with underlying CV disease may be at increased risk; however, these concerns must be balanced with the health benefits of smoking cessation. Instruct patients to notify their healthcare providers of new or worsening CV symptoms and to seek immediate medical attention if they experience signs and symptoms of MI or stroke. Cases of somnambulism have been reported in patients taking CHAMPIX. There have been post marketing reports of hypersensitivity reactions including angioedema in patients treated with CHAMPIX. There have been post marketing reports of rare but serious skin reactions, including Stevens-Johnson Syndrome and erythema multiforme, in patients using CHAMPIX. Adverse reaction: In premarketing studies the most common adverse events associated with CHAMPIX were: nausea, abnormal (vivid, unusual, or strange) dreams, constipation, flatulence, and vomiting.

CHAMPIX is supplied for oral administration in two strengths: 0.5 mg and 1 mg tablets.

For further details please refer to the latest approved prescribing information

לדיווח תופעות לוואי [ISR.AEReporting@pfizer.com](mailto:ISR.AEReporting@pfizer.com)

פייזר פרמצבטיקה ישראל בע"מ

CHAMPIX  
varenicline tartrate

שנקר פ, הרצליה פיתוח, טל: 09-9700500, פקס: 09-9700501

Pfizer

## סל התרופות 2019:

הוראות לשימוש בתרופה (Varenicline) (Champix)  
 התרופה תינתן לטיפול גמילה מעישון הניתן במקביל לליווי  
 באמצעים תומכים או במקביל להתערבות תמיכתית מלווה.<sup>5</sup>

מחיר חודש טיפול בצ'מפיקס<sup>3</sup> כ-50 ₪  
 (במסגרת סל בריאות)

מומלץ להתמיד בטיפול 3-6 חודשים<sup>4</sup>

**בכל יום נפטרים בישראל כ-22 מעשנים מנזקי עישון!<sup>8</sup>**  
 יש לכם עכשיו אפשרות לסלול לכל מטופל את הדרך שמתאימה לו להיגמל.

מטופלים שמעוניינים להיגמל מעישון יכולים להעזר במגוון תמיכות **ללא תשלום** ולשלב טיפול בצ'מפיקס:<sup>5,7</sup>

סדנה קבוצתית לגמילה מעישון להרשמה יש להתקשר לטלפון תאום תורים בקופ"ח ולהירשם לסדנה הקרובה למקום המגורים (אין צורך בהפניית רופא)	ליווי בתמיכה טלפונית, שרות של הקופה	ליווי בתמיכה טלפונית, מוקד לאומי של משרד הבריאות	ליווי אישי בתמיכת הרופא/ה המטפל/ת*	
✓	יש צורך בהפניית רופא מטפל	*6800  המומחים במוקד נותנים מענה מידי לכל אזרחי ישראל במגוון שפות.		כללית
✓	יש צורך בהפניית רופא מטפל		רופאים שעברו הכשרה יכולים לטפל בגמילה מעישון בעזרת צ'מפיקס. ניתן למצוא את רשימת הרופאים באתר מכבי.	מכבי
✓			כל הרופאים יכולים לטפל בגמילה מעישון בעזרת צ'מפיקס ללא אישורים נוספים והתניות.	מאוחדת
✓			כל הרופאים יכולים לטפל בגמילה מעישון בעזרת צ'מפיקס ללא אישורים נוספים והתניות.	לאומית